COBALT CLAY

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

COBALT CLAY

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Detergent

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Bracia Pietrzak Spółka Cywilna Robert Pietrzak Mariusz adres: ul. Pszczyńska 192, 44-100 Gliwice – Poland Phune: +48 690 655 655 , Fax: N/A Mail: info@delixirum.com www.delixirum.com

1.4 Emergency telephone number: 112

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

None

UFI: J110-100E-800C-SUMD

2.3 Other hazards: Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Aqueous mixture composed of chemical products for cleaning products

Components:

None of the substances contained in the mixture are above the values fixed in Annex II of Regulation (EC) No 1907/2006

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Consult a doctor in case of discomfort showing the SDS for the product.

By inhalation:

In case of symptoms, move the person affected into fresh air.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety data Sheet

By eye contact:

Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product.

By ingestion/aspiration:

In case of consumption in large quantities, it is recommended to seek medical assistance.

Safety data sheet

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

COBALT CLAY

SECTION 4: FIRST AID MEASURES (continued)

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable, with a low risk of fire due to the flammabliity characteristics of the product in normal conditions of storage, handling and use. In the case of the existence of sustained combustion as a result of improper handling, storage or use any type of extinguishing agent can be used (ABC Powder, water,...)

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

Safety data sheet

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

COBALT CLAY

SECTION 7: HANDLING AND STORAGE (continued)

D.- Technical recommendations to prevent environmental risks

It is not necessary to take special measures to prevent environmental risks. For more information see subsection 6.2

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

 Minimum Temp.:
 5 °C

 Maximum Temp.:
 30 °C

Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):

Non-applicable

DNEL (General population):

Non-applicable

PNEC:

Non-applicable

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

- B.- Respiratory protection
 - The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.
- C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Ocular and facial protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
E	Body protection				

 $Safety \ data \ sheet$ This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

COBALT CLAY

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deteriorat periods of prolonged exposure to the pro professional/industrial users CE III is recom in accordance with the regulations in El 6529:2013, EN ISO 6530:2005, EN ISO 136 EN 464:1994.
	Anti-slip work shoes	CAT II	EN ISO 20347:2012	Replace before any evidence of deteriorat periods of prolonged exposure to the pro professional/industrial users CE III is recom in accordance with the regulations in El 20345:2012 y EN 13832-1:2007
- Additional emerge	gency measures		·	
It is not necessa	ary to take additional em	ergency measures.		
nvironmental ex	posure controls:			
				s recommended to avoid environmenta
	and its container. For ad	ditional informatio	n see subsection 7.1.D	
Volatile organic co	-			
-	ctive 2010/75/EU, this pr		wing characteristics:	
V.O.C. (Supply):		% weight		
V.O.C. density at		(g/m³ (0 g/L)		
Average carbon		n-applicable		
Average molecul	lar weight: No	n-applicable		
		nical properties:		
or complete inform	nation see the product da			
or complete inform ppearance:	nation see the product da			
or complete inform . ppearance: hysical state at 20	nation see the product da	tasheet. Solid	l available	
or complete inform ppearance: hysical state at 20 ppearance:	nation see the product da	tasheet. Solid Not a		
or complete inform ppearance: hysical state at 20 ppearance: olour:	nation see the product da	tasheet. Solid Not a	available	
or complete inform ppearance: hysical state at 20 ppearance: olour: dour:	nation see the product da	tasheet. Solid Not a Not a	available Blue	
or complete inform ppearance: hysical state at 20 ppearance: olour: dour: dour threshold:	nation see the product da	tasheet. Solid Not a Not a	available Blue available	
or complete inform ppearance: hysical state at 20 ppearance: olour: dour: dour: dour threshold: folatility: oiling point at atmo	ospheric pressure:	tasheet. Solid Not a Not a Non-	available Blue available applicable * applicable *	
or complete inform ppearance: hysical state at 20 ppearance: olour: dour: dour: dour threshold: olatility: oiling point at atmosing apour pressure at 2	ospheric pressure: 20 °C:	tasheet. Solid Not a Not a Non- Non- Non-	available Blue available applicable * applicable * applicable *	
or complete inform ppearance: hysical state at 20 ppearance: olour: dour: dour threshold: folatility: oiling point at atmost apour pressure at 2 apour pressure at 2	ospheric pressure: 20 °C: 20 °C:	tasheet. Solid Not a Not Non- Non- Non- Non-	available Blue available applicable * applicable * applicable * applicable *	
or complete inform ppearance: hysical state at 20 ppearance: olour: dour: dour threshold: folatility: oiling point at atmost apour pressure at 2 vaporation rate at 2	ospheric pressure: 20 °C: 50 °C: 20 °C:	tasheet. Solid Not a Not Non- Non- Non- Non-	available Blue available applicable * applicable * applicable *	
or complete inform ppearance: hysical state at 20 ppearance: olour: dour: dour threshold: 'olatility: oiling point at atmo apour pressure at 2 apour pressure at 2 vaporation rate at 2 'roduct descriptio	ospheric pressure: 20 °C: 50 °C: 20 °C:	tasheet. Solid Not a Non- Non- Non- Non- Non- Non- Non-	available Blue available -applicable * -applicable * -applicable * -applicable * -applicable *	
or complete inform Appearance: hysical state at 20 ppearance: colour: odour: odour threshold: Yolatility: oiling point at atmo apour pressure at 2 vaporation rate at 2 Product description pensity at 20 °C:	ospheric pressure: 20 °C: 50 °C: 20 °C: 50 °C: 20 °C: 20 °C:	tasheet. Solid Not a Not Non- Non- Non- Non- Non- Non- Non- Non-	available Blue available applicable * applicable * applicable * applicable * applicable * applicable *	
or complete inform ppearance: hysical state at 20 ppearance: olour: dour: dour threshold: olatility: oiling point at atmost apour pressure at 2 vaporation rate at 2 roduct description ensity at 20 °C: elative density at 2	ospheric pressure: 20 °C: 50 °C: 20 °C: 20 °C: 20 °C: 20 °C:	tasheet. Solid Not a Not a Non- Non- Non- Non- Non- Non- Non- Non-	available Blue available applicable * applicable * applicable * applicable * applicable * applicable * 1	
or complete inform Appearance: hysical state at 20 ppearance: colour: odour: dour threshold: Yolatility: oiling point at atmost apour pressure at 2 vaporation rate at 2 Product descriptic pensity at 20 °C: elative density at 2 pynamic viscosity at 2	ospheric pressure: 20 °C: 50 °C: 20 °C: 20 °C: 20 °C: bn: 20 °C: t 20 °C:	tasheet. Solid Not a Non- Non- Non- Non- Non- Non- Non- Non-	available Blue available -applicable * -applicable * -applicable * -applicable * -applicable * -applicable * -applicable *	
or complete inform ppearance: hysical state at 20 ppearance: olour: dour: dour threshold: folatility: oiling point at atmost apour pressure at 2 vaporation rate at 3 roduct description ensity at 20 °C: elative density at 2 ynamic viscosity at inematic viscosity at	ospheric pressure: 20 °C: 50 °C: 20 °C: 50 °C: 20 °C: on: 20 °C: t 20 °C: at 20 °C:	tasheet. Solid Not a Not a Non- Non- Non- Non- Non- Non- Non- Non-	available Blue available applicable * applicable * applicable * applicable * applicable * 1,1 kg/m ³ 1 applicable * applicable *	
or complete inform Appearance: hysical state at 20 ppearance: olour: odour: odour threshold: Yolatility: oiling point at atmost apour pressure at 2 Yolatility: oiling point at atmost apour pressure at 2 Yolatility: ensity at 20 °C: elative density at 2 Yonamic viscosity at inematic viscosity at inematic viscosity at	ospheric pressure: 20 °C: 50 °C: 20 °C: 50 °C: 20 °C: on: 20 °C: t 20 °C: at 20 °C:	tasheet. Solid Not a Not a Non- Non- Non- Non- Non- Non- Non- Non-	available Blue available applicable * applicable * applicable * applicable * applicable * 1,1 kg/m ³ 1 applicable * applicable * applicable *	
For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour: Odour threshold: Volatility: Prolatility: Apour pressure at 2 Apour pressure at 2 Ap	ospheric pressure: 20 °C: 50 °C: 20 °C: 50 °C: 20 °C: on: 20 °C: t 20 °C: at 20 °C:	tasheet. Solid Not a Not Non- Non- Non- Non- Non- Non- Non- Non-	available Blue available applicable * applicable * applicable * applicable * applicable * applicable * applicable * applicable * applicable * applicable *	
or complete inform Appearance: Physical state at 20 ppearance: Colour: Odour: Odour threshold: Yolatility: Folling point at atmost fapour pressure at 2 Yolatility: Follow pressure at 2 Yolatility: Colour pressure at 2 Yolatility: Concentration: H:	aation see the product da °C: ospheric pressure: 20 °C: 50 °C: 20 °C: on: 20 °C: t 20 °C: at 20 °C: at 20 °C: at 40 °C:	tasheet. Solid Not a Not a Non- Non- Non- Non- Non- Non- Non- Non-	available Blue available applicable * applicable *	
For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour threshold: Volatility: Boiling point at atmo Vapour pressure at 2 Vapour pressure at 2 Vapour pressure at 2 Product description Density at 20 °C: Relative density at 2 Dynamic viscosity at Kinematic viscosity at Kinematic viscosity at Concentration: DH: Vapour density at 20	aation see the product da °C: ospheric pressure: 20 °C: 50 °C: 20 °C: on: 20 °C: t 20 °C: at 20 °C: at 20 °C: at 40 °C:	tasheet. Solid Not a Not a Non- Non- Non- Non- Non- Non- Non- Non-	available Blue available applicable * applicable * applicable * applicable * applicable * applicable * applicable * applicable * applicable * applicable *	

COBALT CLAY

SECT	ION 9: PHYSICAL AND CHEMICAL PRO	PERTIES (continued)	
	Solubility in water at 20 °C:		
	Solubility properties:	Non-applicable *	
	Decomposition temperature:	Non-applicable *	
	Melting point/freezing point:	Non-applicable *	
	Explosive properties:	Non-applicable *	
	Oxidising properties:	Non-applicable *	
	Flammability:		
	Flash Point:	Non-applicable	
	Heat of combustion:	Non-applicable *	
	Flammability (solid, gas):	Non-applicable *	
	Autoignition temperature:	363 °C	
	Lower flammability limit:	Non-applicable *	
	Upper flammability limit:	Non-applicable *	
	Explosive:		
	Lower explosive limit:	Non-applicable *	
	Upper explosive limit:	Non-applicable *	
9.2	Other information:		
	Surface tension at 20 °C:	Non-applicable *	
	Refraction index:	Non-applicable *	
	*Not relevant due to the nature of the product, not pro	viding information property of its hazards.	

SECTION 10: STABILITY AND REACTIVITY 10.1 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. 10.2 Chemical stability: Chemically stable under the conditions of storage, handling and use. 10.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. 10.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Humidity Increase in temperature Sunlight Not applicable Not applicable Not applicable Not applicable Not applicable 10.5 Incompatible materials: Acids Water Oxidising materials Combustible materials Others Avoid strong acids Not applicable Not applicable Not applicable Avoid alkalis or strong bases 10.6 Hazardous decomposition products: See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

LD50 oral > 2000 mg/kg (rat)

Dangerous health implications:

 $Safety \ data \ sheet$ This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

COBALT CLAY

SECT	ION 11: TOXICOLOGICAL INFORMATION (continued)
	In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure: A- Ingestion (acute effect):
	 Acute toxicity : Based on available data, the classification criteria are not met Corrosivity/Irritability: Based on available data, the classification criteria are not met B- Inhalation (acute effect):
	 Acute toxicity : Based on available data, the classification criteria are not met Corrosivity/Irritability: Based on available data, the classification criteria are not met Contact with the skin and the eyes (acute effect):
	 Contact with the skin: Based on available data, the classification criteria are not met Contact with the eyes: Based on available data, the classification criteria are not met CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
	 Carcinogenicity: Based on available data, the classification criteria are not met IARC: Non-applicable Mutagenicity: Based on available data, the classification criteria are not met Reproductive toxicity: Based on available data, the classification criteria are not met Sensitizing effects:
	 Respiratory: Based on available data, the classification criteria are not met Cutaneous: Based on available data, the classification criteria are not met
	F- Specific target organ toxicity (STOT) - single exposure:
	Based on available data, the classification criteria are not met
	 G- Specific target organ toxicity (STOT)-repeated exposure: Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met Skin: Based on available data, the classification criteria are not met H- Aspiration hazard:
	Based on available data, the classification criteria are not met
	Other information:
	Non-applicable
	Specific toxicology information on the substances:
	Not available
SECT	ION 12: ECOLOGICAL INFORMATION
The ex	perimental information related to the eco-toxicological properties of the product itself is not available
	Toxicity:
	Not available
12.2	Persistence and degradability:
	Not available
12.3	Bioaccumulative potential:
	Not available
12.4	Mobility in soil:
	Not available
12.5	Results of PBT and vPvB assessment:
	Product fails to meet PBT/vPvB criteria
12.6	Other adverse effects:

Not described

Safety data sheet

This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

COBALT CLAY

Waste tre	atment methods:	
Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 30	detergents other than those mentioned in 20 01 29	Non dangerous
Type of w	aste (Regulation (EU) No 1357/2014):	
Non-applica	ble	
Waste ma	nagement (disposal and evaluation):	
Consult the	authorized waste service manager on the assessment and disposal operation	s in accordance with Annex 1 and Annex 2
(Directive 2 product, it	authorized waste service manager on the assessment and disposal operation 008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the conta will be processed the same way as the actual product. Otherwise, it will be proended disposal down the drain. See paragraph 6.2.	ainer has been in direct contact with the
(Directive 2 product, it not recomm	008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the conta will be processed the same way as the actual product. Otherwise, it will be pr	ainer has been in direct contact with the
(Directive 2 product, it v not recomm Regulation In accordar	008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the conta will be processed the same way as the actual product. Otherwise, it will be pr nended disposal down the drain. See paragraph 6.2.	niner has been in direct contact with the ocessed as non-dangerous residue. We do
(Directive 2 product, it v not recomm Regulation In accordar management	008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the conta will be processed the same way as the actual product. Otherwise, it will be pr nended disposal down the drain. See paragraph 6.2. Ins related to waste management: Ince with Annex II of Regulation (EC) No 1907/2006 (REACH) the community of	ainer has been in direct contact with the ocessed as non-dangerous residue. We do or state provisions related to waste

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

COBALT CLAY

SECTION 16: OTHER INFORMATION (continued) The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830). Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Non-applicable **Classification procedure:** Non-applicable Advice related to training: Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. **Principal bibliographical sources:** http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.